

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	430	@ad<"19991220" and 713/193.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 13:48
L2	210	@ad<"19991220" and 380/283,284.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 13:48
L3	234	@ad<"19991220" and 713/185.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L4	404	(2 3) and key	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L5	5	(2 3) and key and cookie	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L6	152	(2 3) and key and password	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L7	13	(2 3) and key and password with one adj time	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L8	61	@ad<"19991220" and untrusted adj network	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L9	36	@ad<"19991220" and (vpn virtual adj private adj network) and cookie and (machine same identif\$)	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L10	65	(@ad<"19991220" and 380/281.ccls.) and master with key	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L11	145	@ad<"19991220" and cookie and first same second same key	US-PGPUB; USPAT	OR	ON	2007/07/30 13:52
L12	7	(@ad<"19991220" and 713/185.ccls.) and cookie	US-PGPUB; USPAT	OR	ON	2007/07/30 13:53
L13	49	@ad<"19991220" and (agent applet) with secret adj key	US-PGPUB; USPAT	OR	ON	2007/07/30 13:53
S1	0	@ad<"19991220" and encrypted adj cookie with (send sent transmit\$4)	US-PGPUB; USPAT	OR	ON	2004/06/30 13:45
S2	0	@ad<"19991220" and encrypted adj cookie with (store)	US-PGPUB; USPAT	OR	ON	2004/06/30 13:46
S3	6	@ad<"19991220" and encrypted adj cookie	US-PGPUB; USPAT	OR	ON	2004/06/30 13:46
S4	1	@ad<"19991220" and 713/193.ccls. and cookie	US-PGPUB; USPAT	OR	ON	2006/12/21 14:35
S5	9	@ad<"19991220" and 713/193.ccls. and ((webpage) web adj page)	US-PGPUB; USPAT	OR	ON	2003/08/07 17:06
S6	98	@ad<"19991220" and 713/193.ccls. and password	US-PGPUB; USPAT	OR	ON	2003/08/07 17:07
S7	328	@ad<"19991220" and encrypting same password	US-PGPUB; USPAT	OR	ON	2003/08/08 06:41

EAST Search History

S8	33	@ad<"19991220" and encrypting same password same first same second	US-PGPUB; USPAT	OR	ON	2003/08/08 07:28
S9	6	@ad<"19991220" and encrypting same cookie	US-PGPUB; USPAT	OR	ON	2004/06/29 10:58
S10	9	@ad<"19991220" and (encrypt adj first adj key)	US-PGPUB; USPAT	OR	ON	2003/08/08 07:44
S11	323	@ad<"19991220" and 713/193.ccls.	US-PGPUB; USPAT	OR	ON	2004/06/30 13:45
S12	2	@ad<"19991220" and 713/193.ccls. and specific adj machine	US-PGPUB; USPAT	OR	ON	2003/08/19 09:22
S13	9	@ad<"19991220" and 713/193.ccls. and content adj provider	US-PGPUB; USPAT	OR	ON	2003/08/08 08:28
S14	40	@ad<"19991220" and untrusted adj network	US-PGPUB; USPAT	OR	ON	2003/08/08 08:52
S15	2521	@ad<"19991220" and (first adj key) and (second adj key)	US-PGPUB; USPAT	OR	ON	2003/08/08 08:57
S16	467	((@ad<"19991220" and (first adj key) and (second adj key)) and encrypt\$4	US-PGPUB; USPAT	OR	ON	2003/08/08 08:57
S17	135	((@ad<"19991220" and (first adj key) and (second adj key)) and encrypt\$4) and password	US-PGPUB; USPAT	OR	ON	2003/08/08 09:39
S18	186	@ad<"19991220" and 380/283,284.ccls.	US-PGPUB; USPAT	OR	ON	2003/08/08 09:49
S19	10	@ad<"19991220" and 380/283,284.ccls. and control adj access	US-PGPUB; USPAT	OR	ON	2003/08/08 10:35
S20	0	@ad<"19991220" and key	IBM_TDB	OR	ON	2003/08/20 14:20
S21	245	encrypt\$ and key	IBM_TDB	OR	ON	2003/08/18 16:52
S22	4	encrypt\$ and key and content adj provider	IBM_TDB	OR	ON	2003/08/18 16:51
S23	4	encrypt\$ and key and content adj provider\$	IBM_TDB	OR	ON	2003/08/18 16:51
S24	460	@ad<"19991220" and 713/202.ccls.	US-PGPUB; USPAT	OR	ON	2003/08/19 09:22
S25	18	@ad<"19991220" and 713/202.ccls. and one-time	US-PGPUB; USPAT	OR	ON	2003/08/19 09:26
S26	44	@ad<"19991220" and "713"/\$.ccls. and one-time adj password	US-PGPUB; USPAT	OR	ON	2003/08/19 09:29
S27	38	@ad<"19991220" and "713"/\$.ccls. and one-time adj password and key	US-PGPUB; USPAT	OR	ON	2003/08/19 09:29
S28	25	@ad<"19991220" and "713"/\$.ccls. and one-time adj password same key	US-PGPUB; USPAT	OR	ON	2003/08/19 09:36

EAST Search History

S29	154	@ad<"19991220" and encrypt with key with password	US-PGPUB; USPAT	OR	ON	2003/08/19 09:39
S30	9	@ad<"19991220" and encrypt with key with password and stored adj file	US-PGPUB; USPAT	OR	ON	2003/08/19 09:49
S31	1	"6006333".PN.	USPAT	OR	OFF	2003/08/19 09:40
S32	724	@ad<"19991220" and virtual adj private adj network	US-PGPUB; USPAT	OR	ON	2003/08/19 09:48
S33	34	@ad<"19991220" and virtual adj private adj network and one-time	US-PGPUB; USPAT	OR	ON	2003/08/19 09:48
S34	5	@ad<"19991220" and encrypt with key with password and passport	US-PGPUB; USPAT	OR	ON	2003/08/19 09:54
S35	57	@ad<"19991220" and encrypt and key and password and passport	US-PGPUB; USPAT	OR	ON	2003/08/19 09:57
S36	10	single adj (machine computer) same login	US-PGPUB; USPAT	OR	ON	2003/08/20 16:14
S37	92	ad<"19991230" and passport same web\$	US-PGPUB; USPAT	OR	ON	2003/08/19 09:59
S38	94	@ad<"19991220" and "713"/\$.ccls. and cookie	US-PGPUB; USPAT	OR	ON	2003/08/20 09:54
S39	20	@ad<"19991220" and "713"/\$.ccls. and cookie and (machine same identif\$)	US-PGPUB; USPAT	OR	ON	2003/08/20 12:59
S40	3	baransky.inv.	US-PGPUB; USPAT	OR	ON	2003/08/20 10:12
S41	16	franke.inv. and ibm	US-PGPUB; USPAT	OR	ON	2003/08/20 10:13
S42	15	pattnaik.inv.	US-PGPUB; USPAT	OR	ON	2003/08/20 10:14
S43	71	safford.inv.	US-PGPUB; USPAT	OR	ON	2003/08/20 10:14
S44	22	safford.inv. and (ibm international)	US-PGPUB; USPAT	OR	ON	2003/08/20 10:15
S45	26	wisniewski.inv. and (ibm international)	US-PGPUB; USPAT	OR	ON	2003/08/20 10:16
S46	0	"6510513".URPN.	USPAT	OR	ON	2003/08/20 10:50
S47	46	"5875296".URPN.	USPAT	OR	ON	2003/08/20 10:51
S48	46	"5875296".URPN.	USPAT	OR	ON	2003/08/20 10:51
S49	46	"5875296".URPN.	USPAT	OR	ON	2003/08/20 10:51
S50	19	@ad<"19991220" and (vpn virtual adj private adj network) and cookie and (machine same identif\$)	US-PGPUB; USPAT	OR	ON	2003/08/20 11:19
S51	324	@ad<"19991220" and 713/193.ccls.	US-PGPUB; USPAT	OR	ON	2003/08/20 11:22

EAST Search History

S52	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S53	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S54	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S55	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S56	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S57	0	"6421768".URPN.	USPAT	OR	ON	2003/08/20 11:48
S58	1	"6092196".PN.	USPAT	OR	OFF	2003/08/20 11:48
S59	1	"6092196".PN.	USPAT	OR	OFF	2003/08/20 12:45
S60	1	"6073241".PN.	USPAT	OR	OFF	2003/08/20 12:45
S61	1	"6061790".PN.	USPAT	OR	OFF	2003/08/20 12:56
S62	9	713/202.ccls. and 713/193.ccls.	US-PGPUB; USPAT	OR	ON	2003/08/20 12:59
S63	20	@ad<"19991220" and "713"/\$.ccls. and cookie and (machine same identif\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/20 14:22
S64	128	@ad<"19991220" and "713"/\$.ccls. and password with key and (machine same identif\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/20 13:40
S65	20	@ad<"19991220" and "713"/\$.ccls. and password with key same (machine same identif\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/20 13:44
S66	3	@ad<"19991220" and "713"/\$.ccls. and cookie with key and (machine same identif\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/20 13:45
S67	5	@ad<"19991220" and one-time with login	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/20 14:23
S68	0	@ad<"19991220" and "713"/\$.ccls. and one-time with handshake	US-PGPUB; USPAT	OR	ON	2003/08/20 14:32
S69	1	@ad<"19991220" and "713"/\$.ccls. and one adj time with handshake	US-PGPUB; USPAT	OR	ON	2003/08/20 14:32
S70	50	@ad<"19991220" and "713"/\$.ccls. and handshake same key	US-PGPUB; USPAT	OR	ON	2003/08/20 15:39
S71	56	@ad<"19991220" and cookie and password with key	US-PGPUB; USPAT	OR	ON	2003/08/20 16:08

EAST Search History

S72	831	one with time with authentication	US-PGPUB; USPAT	OR	ON	2003/08/20 16:14
S73	447	one with time with authentication and web	US-PGPUB; USPAT	OR	ON	2003/08/20 16:15
S74	643	(one with time with authentication) and encrypt\$4	US-PGPUB; USPAT	OR	ON	2003/08/20 16:15
S75	502	((one with time with authentication) and encrypt\$4) and password	US-PGPUB; USPAT	OR	ON	2003/08/20 16:15
S76	67	((one with time with authentication) and encrypt\$4) and password) and cookie	US-PGPUB; USPAT	OR	ON	2003/08/20 16:19
S77	0	prevents with distributing with password and machine with identification	US-PGPUB; USPAT	OR	ON	2003/08/20 16:20
S78	124	@ad<"19991220" and "one-time password"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/08/26 08:08
S79	66	wiser.inv.	US-PGPUB; USPAT	OR	ON	2003/08/26 09:21
S80	1	"6,389,535".pn.	US-PGPUB; USPAT	OR	ON	2003/08/26 10:02
S81	951	@ad<"19991220" and content adj provider	US-PGPUB; USPAT	OR	ON	2004/02/12 11:40
S82	356	(@ad<"19991220" and content adj provider) and encrypt\$5	US-PGPUB; USPAT	OR	ON	2004/02/12 10:47
S83	40	((@ad<"19991220" and content adj provider) and encrypt\$5) and master with key	US-PGPUB; USPAT	OR	ON	2004/02/12 11:28
S84	3	(@ad<"19991220" and content adj provider) and 380/281.ccls.	US-PGPUB; USPAT	OR	ON	2004/02/12 11:28
S85	2969464	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/02/12 11:30
S86	134	@ad<"19991220" and 380/281.ccls.	US-PGPUB; USPAT	OR	ON	2004/02/12 11:30
S87	59	(@ad<"19991220" and 380/281. ccls.) and master with key	US-PGPUB; USPAT	OR	ON	2004/02/12 11:34
S88	15	((@ad<"19991220" and 380/281. ccls.) and master with key) and password	US-PGPUB; USPAT	OR	ON	2004/02/12 11:34
S89	51	@ad<"19991220" and content adj provider and encrypted adj key	US-PGPUB; USPAT	OR	ON	2004/02/12 11:54
S90	17	(@ad<"19991220" and content adj provider and encrypted adj key) and password	US-PGPUB; USPAT	OR	ON	2004/02/12 11:43

EAST Search History

S91	45	@ad<"19991220" and password with encrypted adj key	US-PGPUB; USPAT	OR	ON	2004/02/12 11:58
S92	34	@ad<"19991220" and password same encrypted adj key and content	US-PGPUB; USPAT	OR	ON	2004/02/12 11:59
S93	17	@ad<"19991220" and password same encrypted adj key and content!	US-PGPUB; USPAT	OR	ON	2004/02/12 13:14
S94	365	@ad<"19991220" and encrypted adj key and content!	US-PGPUB; USPAT	OR	ON	2004/02/12 13:14
S95	105	@ad<"19991220" and encrypted adj key and content! and server and client	US-PGPUB; USPAT	OR	ON	2004/02/12 13:27
S96	77	@ad<"19991220" and encrypted adj key and content! and player	US-PGPUB; USPAT	OR	ON	2004/02/12 13:56
S97	77	@ad<"19991220" and encrypted adj key and content! and player and key	US-PGPUB; USPAT	OR	ON	2004/02/12 13:56
S98	2974170	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/15 09:45
S99	1164	@ad<"19991220" and encrypt\$2 with key with second	US-PGPUB; USPAT	OR	ON	2004/06/15 08:58
S100	213	@ad<"19991220" and encrypt\$2 with second adj key	US-PGPUB; USPAT	OR	ON	2004/06/15 09:03
S101	2	@ad<"19991220" and encrypt\$2 with second adj key with password	US-PGPUB; USPAT	OR	ON	2004/06/15 09:00
S102	1	"5991399".pn.	US-PGPUB; USPAT	OR	ON	2004/06/15 09:09
S103	3	("4634807" "4670857" "5450489").PN.	USPAT	OR	ON	2004/06/15 09:05
S104	3	@ad<"19991220" and encrypted with cookie with stor\$6 with client	USPAT	OR	ON	2004/06/15 09:06
S105	3	@ad<"19991220" and encrypt\$2 near2 cookie with stor\$6 with client	USPAT	OR	ON	2004/06/15 09:06
S106	216	@ad<"19991220" and 713/185.ccls.	US-PGPUB; USPAT	OR	ON	2004/06/15 11:01
S107	6	(@ad<"19991220" and 713/185.ccls.) and cookie	US-PGPUB; USPAT	OR	ON	2004/06/15 09:49
S108	6	@ad<"19991220" and encrypted adj cookie	US-PGPUB; USPAT	OR	ON	2004/06/15 09:53
S109	128	@ad<"19991220" and cookie and first same second same key	US-PGPUB; USPAT	OR	ON	2004/06/15 09:53
S110	30	@ad<"19991220" and cookie and first same second same key same encrypt\$6	US-PGPUB; USPAT	OR	ON	2004/06/15 09:56

EAST Search History

S11 1	26	(@ad<"19991220" and cookie and first same second same key same encrypt\$6) and password	US-PGPUB; USPAT	OR	ON	2004/06/15 09:57
S11 2	105	(@ad<"19991220" and 713/185. ccls.) and password	US-PGPUB; USPAT	OR	ON	2004/06/15 11:01
S11 3	54	(@ad<"19991220" and 713/185. ccls.) and password with key	US-PGPUB; USPAT	OR	ON	2004/06/15 11:12
S11 4	19	@ad<"19991220" and client with stor\$5 with token same authentica\$6	US-PGPUB; USPAT	OR	ON	2004/06/15 11:15
S11 5	5	@ad<"19991220" and client with stor\$5 with token and server with decrypt\$5 with token	US-PGPUB; USPAT	OR	ON	2004/06/15 11:25
S11 6	12	@ad<"19991220" and client with token and server with decrypt\$5 with token	US-PGPUB; USPAT	OR	ON	2004/06/15 11:26
S11 7	56	"6,092,196"	US-PGPUB; USPAT	OR	ON	2004/06/17 12:51
S11 8	1	"6,092,196".pn.	US-PGPUB; USPAT	OR	ON	2004/06/17 12:51
S11 9	2974170	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/17 12:59
S12 0	5	@ad<"19991220" and authentication and encrypt\$6 with password with cookie	US-PGPUB; USPAT	OR	ON	2004/06/17 13:05
S12 1	4	@ad<"19991220" and authentication and key with password with cookie	US-PGPUB; USPAT	OR	ON	2004/06/17 13:19
S12 2	9	@ad<"19991220" and authentication and encrypt\$6 same password with cookie	US-PGPUB; USPAT	OR	ON	2004/06/17 13:08
S12 3	42	@ad<"19991220" and authentication and key with password with token	US-PGPUB; USPAT	OR	ON	2004/06/17 14:14
S12 4	13	@ad<"19991220" and cookie with key same encrypt\$5	US-PGPUB; USPAT	OR	ON	2004/06/17 14:15
S12 5	6	@ad<"19991220" and encrypt\$5 adj cookie	US-PGPUB; USPAT	OR	ON	2004/06/17 16:43
S12 6	25	@ad<"19991220" and encrypt\$5 near2 cookie	US-PGPUB; USPAT	OR	ON	2004/06/17 16:27
S12 7	23	(@ad<"19991220" and encrypt\$5 near2 cookie) and password	US-PGPUB; USPAT	OR	ON	2004/06/17 16:28
S12 8	3	@ad<"19991220" and encrypt\$5 adj token with authenticate	US-PGPUB; USPAT	OR	ON	2004/06/17 16:43
S12 9	10	@ad<"19991220" and encrypt\$5 adj token with authenticat\$3	US-PGPUB; USPAT	OR	ON	2004/06/17 16:43

EAST Search History

S13 0	14	("5235642" "5560008" "5642515" "5684950" "5689638" "5706427" "5708780" "5790785" "5818936" "5841970" "5864676" "5875296" "5908469" "6006334").PN.	USPAT	OR	ON	2004/06/17 16:45
S13 1	3	((("5235642" "5560008" "5642515" "5684950" "5689638" "5706427" "5708780" "5790785" "5818936" "5841970" "5864676" "5875296" "5908469" "6006334").PN.) and cookie	USPAT	OR	ON	2004/06/17 16:45
S13 2	0	mi.inv. and encrypt	US-PGPUB; USPAT	OR	ON	2004/06/24 09:41
S13 3	627	mi.inv.	US-PGPUB; USPAT	OR	ON	2004/06/24 09:41
S13 4	18	mi.inv. and intel	US-PGPUB; USPAT	OR	ON	2004/06/24 09:42
S13 5	1	"6418472".pn.	US-PGPUB; USPAT	OR	ON	2004/06/24 10:30
S13 6	6	("4545012" "4866769" "5506961" "5542087" "5793861" "5913227").PN.	USPAT	OR	ON	2004/06/24 10:22
S13 7	2974377	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/24 10:22
S13 8	438	@ad<"19991220" and client same (transmit receive download\$2) with agent	US-PGPUB; USPAT	OR	ON	2004/06/24 10:23
S13 9	96	(@ad<"19991220" and client same (transmit receive download\$2) with agent) and agent with key	US-PGPUB; USPAT	OR	ON	2004/06/24 10:23
S14 0	47	((@ad<"19991220" and client same (transmit receive download\$2) with agent) and agent with key) and authenticat\$5	US-PGPUB; USPAT	OR	ON	2004/06/24 10:39
S14 1	3	"6418472".urpn.	US-PGPUB; USPAT	OR	ON	2004/06/24 10:30
S14 2	5	("5710887" "5745886" "5903880" "5960411" "6072870").PN.	USPAT	OR	ON	2004/06/24 10:37
S14 3	0	"6378075".URPN.	USPAT	OR	ON	2004/06/24 10:37
S14 4	4	@ad<"19991220" and client with (receive download) with (agent) same authenticat\$6	US-PGPUB; USPAT	OR	ON	2004/06/24 10:40
S14 5	59	"5875296".URPN.	USPAT	OR	ON	2004/06/24 10:50

EAST Search History

S14 6	36	"5875296".URPN. and key	USPAT	OR	ON	2004/06/24 11:23
S14 7	109	@ad<"19991220" and tamper adj proof with (agent plug-in plug adj in module)	USPAT	OR	ON	2004/06/24 11:24
S14 8	58	@ad<"19991220" and tamper adj proof with (agent plug-in plug adj in module) and (agent plug-in plug adj in module) with key	USPAT	OR	ON	2004/06/24 11:25
S14 9	36	(@ad<"19991220" and tamper adj proof with (agent plug-in plug adj in module) and (agent plug-in plug adj in module) with key) and encrypt	USPAT	OR	ON	2004/06/24 11:31
S15 0	114	@ad<"19991220" and encrypted with token same authenticat\$6	USPAT	OR	ON	2004/06/24 11:32
S15 1	62	(@ad<"19991220" and encrypted with token same authenticat\$6) and password	USPAT	OR	ON	2004/06/24 11:36
S15 2	60	((@ad<"19991220" and encrypted with token same authenticat\$6) and password) and key	USPAT	OR	ON	2004/06/24 11:44
S15 3	213	@ad<"19991220" and 713/185.ccls.	USPAT	OR	ON	2004/06/24 11:45
S15 4	8	(@ad<"19991220" and 713/185.ccls.) and 380/281,284.ccls.	USPAT	OR	ON	2004/06/24 11:48
S15 5	16	(@ad<"19991220" and 713/185.ccls.) and 380/277,280,45.ccls.	USPAT	OR	ON	2004/06/24 11:56
S15 6	13	@ad<"19991220" and encrypted with (cookie token) with key with password	USPAT	OR	ON	2004/06/24 12:03
S15 7	157	@ad<"19991220" and content with protection and player	USPAT	OR	ON	2004/06/24 12:08
S15 8	123	@ad<"19991220" and content with protection and player and key	USPAT	OR	ON	2004/06/24 12:09
S15 9	24	@ad<"19991220" and content with protection and player and key same password	USPAT	OR	ON	2004/06/24 12:16
S16 0	14	@ad<"19991220" and encrypted adj (media content) adj key	USPAT	OR	ON	2004/06/24 13:10
S16 1	4	@ad<"19991220" and encrypted adj cookie same authenticat\$6	USPAT	OR	ON	2004/06/24 13:43
S16 2	7	@ad<"19991220" and (encrypted encoded protected) adj cookie same authenticat\$6	USPAT	OR	ON	2004/06/24 13:43

EAST Search History

S16 3	20	@ad<"19991220" and (encrypted encoded protected) adj (cookie token passport) same authenticat\$6	USPAT	OR	ON	2004/06/24 13:46
S16 4	21	@ad<"19991220" and server same (private master) with key same decrypt\$3 same (cookie token)	USPAT	OR	ON	2004/06/24 14:05
S16 5	36	@ad<"19991220" and server with decrypt\$3 with (cookie token)	USPAT	OR	ON	2004/06/24 14:05
S16 6	5	("5664098" "6088450" "6173400" "6446209" "6463534").PN.	USPAT	OR	ON	2004/06/24 14:47
S16 7	1	"6336187".pn.	USPAT	OR	ON	2004/06/24 14:47
S16 8	738	@ad<"19991220" and client with registration	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 15:31
S16 9	42	@ad<"19991220" and client with registration and cookie	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 15:32
S17 0	6	@ad<"19991220" and client with registration and cookie same encrypted	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 15:33
S17 1	73	@ad<"19991220" and cookie with key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 15:33
S17 2	13	@ad<"19991220" and cookie with key same encrypt\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 17:46
S17 3	6	@ad<"19991220" and cookie with key same decrypt\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 15:33
S17 4	2	("5671279" "5710887").PN.	USPAT	OR	ON	2004/06/24 15:49
S17 5	52	"5963915".URPN.	USPAT	OR	ON	2004/06/24 15:49
S17 6	1	"6,078,866".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/24 17:48
S17 7	2974377	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/24 17:48
S17 8	24	@ad<"19991220" and (one-time one adj time) adj password with encrypt\$5	US-PGPUB; USPAT	OR	ON	2004/06/24 17:59
S17 9	43	@ad<"19991220" and (agent applet) with secret adj key	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 0	588	g^a	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57

EAST Search History

S18 1	588	"g^a"	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 2	2974377	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 3	396	"g^a" and @ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 4	30	("g^a" and @ad<"19991220") and "G^b"	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 5	30	("g^a" and @ad<"19991220") and "g^b"	US-PGPUB; USPAT	OR	ON	2004/06/25 07:57
S18 6	0	((("g^a" and @ad<"19991220") and "g^b") and encrypt\$5	US-PGPUB; USPAT	OR	ON	2004/06/25 07:58
S18 7	12148	@ad<"19991220" and ^a and ^b and encrypt\$6	US-PGPUB; USPAT	OR	ON	2004/06/25 07:58
S18 8	0	@ad<"19991220" and \$1^a and \$1^b and encrypt\$6	US-PGPUB; USPAT	OR	ON	2004/06/25 07:58
S18 9	1	"6226383".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/25 08:00
S19 0	1	"6226383".URPN.	USPAT	OR	ON	2004/06/25 08:02
S19 1	12	("5124117" "5241599" "5440635" "5469507" "5515441" "5708714" "5721779" "5724425" "5796830" "5796833" "5933504" "5953424").PN.	USPAT	OR	ON	2004/06/25 08:01
S19 2	59	@ad<"19991220" and 380/284.ccls.	USPAT	OR	ON	2004/06/25 08:03
S19 3	16	(@ad<"19991220" and 380/284.ccls.) and secret adj key	USPAT	OR	ON	2004/06/25 08:05
S19 4	3	(@ad<"19991220" and 380/284.ccls.) and shared adj secret	USPAT	OR	ON	2004/06/25 08:09
S19 5	448	@ad<"19991220" and shared adj secret	USPAT	OR	ON	2004/06/25 08:09
S19 6	178	(@ad<"19991220" and shared adj secret) and client and server	USPAT	OR	ON	2004/06/25 08:09
S19 7	132	((@ad<"19991220" and shared adj secret) and client and server) and password	USPAT	OR	ON	2004/06/25 08:09
S19 8	58	((@ad<"19991220" and shared adj secret) and client and server) and one with password	USPAT	OR	ON	2004/06/25 08:10
S19 9	95	(applet agent) same key same (download\$2 receiv\$2) and content adj provider	US-PGPUB; USPAT	OR	ON	2004/06/29 10:21

EAST Search History

S20 0	44	(applet agent) same key same (download\$2 receiv\$2) same (decrypt\$2 encrypt\$2) and content adj provider	US-PGPUB; USPAT	OR	ON	2004/06/29 10:22
S20 1	73	(applet agent) same key same (download\$2 receiv\$2) and (decrypt\$2 encrypt\$2) and content adj provider	US-PGPUB; USPAT	OR	ON	2004/06/29 10:22
S20 2	40	((applet agent) same key same (download\$2 receiv\$2) and (decrypt\$2 encrypt\$2) and content adj provider) and password	US-PGPUB; USPAT	OR	ON	2004/06/29 10:22
S20 3	1	"6523067".URPN.	USPAT	OR	ON	2004/06/29 10:36
S20 4	10	("4545012" "4866769" "5224166" "5542087" "6081900" "6105027" "6189103" "6317838" "6408336" "6418472").PN.	USPAT	OR	ON	2004/06/29 10:36
S20 5	2974564	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2004/06/29 10:58
S20 6	4	@ad<"19991220" and one with time with password same out with band	US-PGPUB; USPAT	OR	ON	2004/06/29 11:06
S20 7	1	"6418472".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/29 12:57
S23 5	1534	program adj key	US-PGPUB; USPAT	OR	ON	2005/01/27 09:55
S23 6	1	"6931532".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/03/31 10:33
S23 7	2986791	@ad<"19991220"	US-PGPUB; USPAT	OR	ON	2006/12/21 14:35
S23 8	75	S237 and (password with random adj (value key number) with key)	US-PGPUB; USPAT	OR	ON	2006/12/21 14:38
S23 9	0	S237 and (kab and g^b)	US-PGPUB; USPAT	OR	ON	2006/12/21 14:38
S24 0	0	S237 and (kab and " g^b ")	US-PGPUB; USPAT	OR	ON	2006/12/21 14:38
S24 1	302	S237 and (" g^b ")	US-PGPUB; USPAT	OR	ON	2006/12/21 14:39
S24 2	0	S237 and (" g^b ") same password	US-PGPUB; USPAT	OR	ON	2006/12/21 14:38
S24 3	0	S237 and (" g^b ") and password	US-PGPUB; USPAT	OR	ON	2006/12/21 14:38

EAST Search History

S24 4	57977	S237 and (g near2 b)	US-PGPUB; USPAT	OR	ON	2006/12/21 14:41
S24 5	5	S237 and (g near2 b) same password	US-PGPUB; USPAT	OR	ON	2006/12/21 14:41
S24 6	0	S237 and (g near2 sup) same password	US-PGPUB; USPAT	OR	ON	2006/12/21 14:41
S24 7	1365	S237 and (g near2 sup)	US-PGPUB; USPAT	OR	ON	2006/12/21 14:41
S24 8	0	S237 and (g near2 sup) and password	US-PGPUB; USPAT	OR	ON	2006/12/21 14:54
S24 9	55	S237 and applet same password same key	US-PGPUB; USPAT	OR	ON	2006/12/21 14:54
S25 0	74	jablon.inv.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/12/21 15:20
S25 1	11	S250 and S237	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/12/21 15:20
S25 2	2	S251 and key	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/12/21 15:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17324	@ad<"19991220"	US-PGPUB	OR	ON	2007/07/30 14:06
L2	1	1 and (generat\$5 with key and encrypt\$5 and password and client).clm.	US-PGPUB	OR	ON	2007/07/30 14:07
L3	3	1 and (generat\$5 with key and encrypt\$5 and password).clm.	US-PGPUB	OR	ON	2007/07/30 14:07
L4	0	1 and (generat\$5 with key and encrypt\$5 and one with time with password).clm.	US-PGPUB	OR	ON	2007/07/30 14:07
L5	0	1 and (key and encrypt\$5 and one with time with password).clm.	US-PGPUB	OR	ON	2007/07/30 14:07